

Electronic basin controls
TEMPOMATIC 4
for hygienic and economical public washrooms



4 in 1

• SIMPLE TO MAINTAIN • TOTAL HYGIENE • WATER SAVINGS • INSTANT INSTALLATION •


DELABIE

DELABIE

Electronic basin controls

TEMPOMATIC 4

100% hygiene, 90% water savings,
simple to install and maintain,
the complete package when it comes to technology



Total hygiene

- Operates without manual contact
- Daily anti-bacterial duty flush for the pipework



90% Water savings

- Flow rate pre-set at 3 lpm, can be adjusted from 1.5 - 6 lpm
- Shuts off automatically
- Reduced water consumption to cope with more frequent and longer hand washing



Instant installation

- Replaces a conventional or time flow tap in a matter of minutes
- Low-cost change, no need to modify the installation



Simple to maintain

- Direct access to components (batteries and solenoid valve) no need to remove the tap or shut off the water supply

DELABIE

Electronic basin controls

TEMPOMATIC 4

0 bacteria, 100% DELABIE!

In the context of the current pandemic, everyone is aware of the need to wash their hands regularly. It is one of the key barrier actions to prevent the spread of the virus. In public and commercial places, the risk of contamination via taps is very real. To ensure user safety in washrooms, appropriate measures are required.



Total hygiene

Electronic controls know how to keep their distance! Hands can be washed without any manual contact with the tap. The valve opens when hands are detected and closes automatically when they are removed.

The user is, therefore, protected.

Bacteria multiply inside the pipework when water stagnates. To make sure it circulates, the TEMPOMATIC 4 activates every 24 hours after its last use.

Electronic control, coupled with a patented reduced-stagnation solenoid valve, the TEMPOMATIC 4 range guarantees hygienic hand washing.

The water used is clean and safe, even if the building has been closed for a long time.



90% water savings


The health crisis has revolutionised our consumption and our habits. Everyone is affected, everyone is impacted. We wash our hands more frequently and for longer. The WHO (World Health Organisation) recommends washing hands for 40 to 60 seconds, and as often as necessary.

Water consumption in public places has, therefore, increased significantly.







The TEMPOMATIC 4 stops automatically while the hands are being soaped: that's a saving of almost **5 litres per hand wash**.

Thanks to its electronic operation and its reduced flow rate, the **TEMPOMATIC 4 saves up to 90%** on the water bill. Absolutely vital when you have multiple hand washing facilities to equip or maintain.

It's an ecological choice: reducing waste and **conserving water resources**.



Comparison between a conventional mixer and a DELABIE electronic mixer

Flow rate	Wetting	Soaping	Rinsing	Water consumption
6L	 5 sec.	 40 sec.	 7 sec.	5.2L 52 sec. With a conventional mixer
3L	 5 sec.	 -	 7 sec.	0.6L 12 sec. With a DELABIE electronic mixer


3

Instant installation

Replacing a conventional mixer with an electronic model: **nothing could be simpler.**

The battery-operated TEMPOMATIC 4 can be installed very quickly to replace existing taps that are already installed - without additional work, without a power supply, without any adjustments: **a straight swap.**


Deck-mounted




Wall-mounted



1/2"



1/2"



Electronic unit is accessible and waterproof

Simple to maintain

6V Lithium batteries

3 - 6 years battery life.
Can be replaced without shutting off the water or removing the tap

4

Simple to maintain

Everything has been designed to make life easier for the installer: autonomous battery life of several years; batteries can be changed without shutting off the water; access to the solenoid valve from the front; self-adjusting and economical system.

Maintenance on the TEMPOMATIC 4 is quick and easy.

Direct access to the solenoid valve

Patented reduced-stagnation system

Scale-resistant flow straightener

Minimal servicing



Electronic basin controls

TEMPOMATIC 4

for hygienic and economical public washrooms

Public
places

Schools, Colleges, Academies, Early years
Cafés, Bars, Hotels, Restaurants
Sports centres, Swimming pools
Campsites, Leisure centres
Offices, Factories, Shopping centres
Civic buildings
Airports, Stations, Service stations
Medical centres, Hospitals
Care homes, Retirement homes
Etc.



Deck-mounted electronic mixers



With stopcocks, F $\frac{3}{8}$ "
With stopcocks Ø 15mm for compression fittings
Without stopcocks, F $\frac{3}{8}$ "



490006
49000615
490106



490001
49000115
490101




Deck-mounted electronic taps



With stopcock, F $\frac{3}{8}$ "
With stopcock Ø 15mm for compression fittings
Without stopcock, F $\frac{3}{8}$ "

440006
44000615
440106

440001
44000115
440101




Wall-mounted electronic mixers

L. 160mm
L. 220mm
L. 130mm cross wall
L. 190mm cross wall

493406
493506
493416
493516

493400
493500
493410
493510



Wall-mounted electronic taps



L. 130mm
L. 190mm
L. 130mm for refurbishment
L. 190mm for refurbishment
L. 130mm cross wall
L. 190mm cross wall

443406
443506
443436
443536
443416
443516

443400
443500
-
-
443410
443510

Long temperature lever: for deck-mounted versions add "LH" to the end of the reference, and for wall-mounted versions add "L".

Factory pre-set 1.4 lpm: add "LD" to the end of the reference.

Additional non-contact products



Electronic liquid soap
or hydroalcoholic gel
dispenser
Ref. 512066P



Exposed electronic
urinal valve
Ref. 479411



Dual control electronic
direct flush WC valve
Ref. 464PBOX-464006

DELABIE

delabie.com

18, rue du Maréchal Foch
80130 Friville - FRANCE

DELABIE S.C.S., share capital 1.000.000 € - RCS B 615 680 089 Amiens

